



Dipole manufactures RFID labels for vials in the healthcare and laboratory sectors. Optimized to resist special chemicals.

RFID vial tags use UHF technology (860-960 MHz) and are resistant to special chemicals found in hospitals or laboratories. They are customizable in size and materials, so their use is varied. Thanks to RFID labels for vials. You can optimize the procedures, streamlining the processes from the

beginning to the end. Gain reading speed in analysis. They have the international ISO 18000-6C standards and we offer personalized encoding and printing services.

### **Product benefits**

- Posibility of tracking the product
- Fully customizable
- Easy to use and application
- Worldwide delivery

# 01

The applications and preferred uses of RFID tags are:

- Inventario
- Hospitales
- Laboratorios
- \*Control de movimientos
- Trazabilidad análisis clínicos





## **Product details**

Frecuency	UHF (860 - 960 MHz)
IC type	Impinj / NXP / Higgs
<b>EPS Memory</b>	Depending of IC Family
Material	Papel / PP / PE / PET / Materiales térmicos
Standards	ISO 18000-6C Class 1 Generation 2
Adhesive	All permanent and removable types
Size	Fully customizable
Temperature	-40 °C / +85 °C

## 03

### **Prdouct features**







Customizable label designed to achieve the best solution for your needs.



Printable on all standard RFID printers worldwide.



Different internal IC depending on the memory that is required.



Multiple delivery formats for greater comfort and according to need.



### Headquartersters

Corts Catalanes nº8, 5C 08173 - Sant Cugat. Barcelona, Spain www.dipolerfid.es

#### In the world

Spain: +34 936 756 273 France: +33 1 85 65 81 50 USA: 203-219-4889 dipole@dipole.es All rights reserved. Total or partial reproduction is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice.